

Date of issue: 02/11/2014 Revision date: 02/11/2014 Version: 1.0

SECTION 1: Identification of the substa	ance/mixture and of the company/undertaking
1.1. Product identifier	
Product name :	PENRAY NON-CHLORINATED BRAKE CLEANER
Product code :	4620
1.2. Relevant identified uses of the substa	nce or mixture and uses advised against
	Brake and Parts Cleaner
1.3. Details of the supplier of the safety da	ta sheet
The Penray Companies, Inc. 440 Denniston Ct. 60090 Wheeling T (800) 373-6729 rotto@penray.com	
1.4. Emergency telephone number	
Emergency number :	(800) 373-6729 CHEMTREC (800) 424-9300 CHEMTREC International +1 (703) 527-3887 24 hr
SECTION 2: Hazards identification	
2.1. Classification of the substance or mix	ture
GHS-US classification	
Flammable Aerosol 1 Gases Under Pressure - Compressed Gas Skin irritation 2 Eye irritation 2A Reproductive toxicity 2 Specific target organ toxicity - Single exposure 3 Specific target organ toxicity - Repeated exposure 3 Aspiration hazard 1	2
2.2. Label elements	
GHS-US labelling	
Hazard pictograms (GHS-US) :	
Signal word (GHS-US) :	GHS02 GHS04 GHS07 GHS08 Danger
o ()	Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. May cause drow siness or dizziness. May cause damage to organs through prolonged or repeated exposure. May be fatal if sw allowed and enters airways.
	Keep aw ay from heat/sparks/open flames/hot surfacesNo smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash hands thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/f ace protection. Use only outdoors or in a w ell-ventilated area. Do not breathe dust/f ume/gas/mist/vapors/spray. If on skin: Wash w ith plenty of w ater. Take off contaminated clothing and w ashit before reuse. If skin irritation occurs: Get medical advice/attention. If in eyes: Rinse cautiously w ith water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unw ell. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If exposed or concerned: Get medical advice/attention. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a w ell-ventilated place. Store locked up. Dispose of contents and container in accordance with all local, regional, national and international regulations.
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS-US)	
22 % of the mixture consists of ingredient(s) of unk	nown acute toxicity.

EN (English)



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 3: Composition/information on ingredients

Substance 3.1.

Not applicable 3.2. Mixture

Name	Product identifier	%	GHS-US classification
Acetone	(CAS No) 67-64-1	30 - 60	Flam. Liq. 2 Eye Irrit. 2A STOT SE 3
Heptane, branched, cyclic and linear	(CAS No) 426260-76-6	15 - 40	Flam. Liq. 2 Skin Irrit. 2 STOT SE 3 Asp. Tox. 1
n-Heptane	(CAS No) 142-82-5	10 - 30	Flam. Liq. 2 Skin Irrit. 2 STOT SE 3
Xylenes (o-, m-, p- isomers)	(CAS No) 1330-20-7	7 - 13	Flam. Liq. 3 Acute Tox. 4 (Dermal, Inhalation) Skin Irrit. 2
Carbon dioxide	(CAS No) 124-38-9	3 - 7	Compressed gas
Toluene	(CAS No) 108-88-3	1 - 5	Flam. Liq. 2 Acute Tox. 4 (Oral) Skin Irrit. 2 Repr. 2 STOT SE 3 STOT RE 2 Asp. Tox. 1
Ethy Ibenzene	(CAS No) 100-41-4	< 0.1	Flam. Liq. 2 Acute Tox. 4 (Inhalation) Carc. 2
Benzene	(CAS No) 71-43-2	< 0.1	Skin Irrit. 2 Ey e Irrit. 2A Muta. 1B Carc. 1A STOT RE 1 Asp. Tox. 1

SECTION 4: First aid measures	
4.1. Description of first aid measures	5
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unw ell.
First-aid measures after skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
First-aid measures after eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if w orn. If irritation persists, get medical attention.
First-aid measures after ingestion	: If sw allowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Immediately call a POISON CENTER or doctor/physician.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/injuries after inhalation	: Vapours may cause drow siness and dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/injuries after ingestion	: May be fatal if sw allowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

Indication of any immediate medical attention and special treatment needed 4.3.

Symptoms may not appear immediately. In case of accident or if you feel unw ell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Treat for surrounding material.
Unsuitable extinguishing media	: None know n.
5.2. Special hazards arising from the su	ubstance or mixture
Fire hazard	: Extremely flammable aerosol. Products of combustion may include, and are not limited to: oxides of carbon.
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
02/11/2014	EN (English) 2/7



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

5.3. Advice for firefig	ghters		
Firefighting instructions : Cool closed containers exposed to fire w ith water. Protection during firefighting : Keep upw ind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respirat protection (SCBA). Vapours may be heavier than air and may travel along the ground ignition source and flash back.		r full fire fighting turn-out gear (full Bunker gear) and respiratory ırs may be heavier than air and may travel along the ground to a distar	
	tal release measures		
	utions, protective equipment and emergency pro		
General measures	: Use personal protection re unnecessary and unprote	ecommended in Section 8. Isolate the hazard area and deny entry to acted personnel.	
	aterial for containment and cleaning up		
vermiculite), then place		f ignition. Contain and/or absorb spill w ith inert material (e.g. sand, ace in a suitable container. Do not flush to sew er or allow to enter w aterways sonal Protective Equipment (PPE).	
Methods for cleaning up	: Scoop up material and pla	ace in a disposal container. Provide ventilation.	
6.3. Reference to ot			
	ormation on protective clothing and equipment and	section 13 for advice on w aste disposal.	
SECTION 7: Handling			
7.1. Precautions for Precautions for safe handlin	ng : Keep aw ay from sources ignition source. Pressurize skin and eyes. Do not swa	of ignition No smoking. Do not spray on an open flame or other ed container: Do not pierce or burn, even after use. Avoid contact with allow. Do not breathe gas, fumes, vapour or spray. When using do not only outdoors or in a w ell-ventilated area.	
Hygiene measures	: Launder contaminated clo	thing before reuse. Wash hands before eating, drinking, or smoking.	
	afe storage, including any incompatibilities		
Storage conditions	122°F. Store aw ay from di	f reach of children. Do not expose to temperatures exceeding 50°C/ irect sunlight or other heat sources.	
Storage area	: Store in a w ell-ventilated p	place.	
7.3. Specific end use Not available.	ϟ(S)		
8.1. Control parame	e controls/personal protection		
Acetone (67-64-1)			
USA ACGIH	ACGIH TWA (ppm)	500 ppm	
USA ACGIH	ACGIH STEL (ppm)	750 ppm	
USA OSHA	OSHA PEL (TWA) (mg/m ³)	2400 mg/m ³	
USA OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	
n-Heptane (142-82-5) USA ACGIH	ACGIH TWA (ppm)	400 ppm	
USA ACGIH	ACGIH STEL (ppm)	500 ppm	
00/(/(00 1		000 ppm	
USA OSHA	OSHA PEL (TWA) (mg/m ³)	2000 mg/m ³	
USA OSHA USA OSHA	OSHA PEL (TWA) (mg/m³) OSHA PEL (TWA) (ppm)	2000 mg/m ³ 500 ppm	
USA OSHA	OSHA PEL (TWA) (ppm)		
USA OSHA Xylenes (o-, m-, p- is om	OSHA PEL (TWA) (ppm) ers) (1330-20-7)	500 ppm	
USA OSHA Xylenes (o-, m-, p- isom USA ACGIH	OSHA PEL (TWA) (ppm) ers) (1330-20-7) ACGIH TWA (ppm)	500 ppm 100 ppm	
USA OSHA Xylenes (o-, m-, p- is om	OSHA PEL (TWA) (ppm) ers) (1330-20-7)	500 ppm	
USA OSHA Xylenes (o-, m-, p- isom USA ACGIH USA ACGIH	OSHA PEL (TWA) (ppm) ers)(1330-20-7) ACGIH TWA (ppm) ACGIH STEL (ppm)	500 ppm 100 ppm 150 ppm	
USA OSHA Xylenes (o-, m-, p- isom USA ACGIH USA ACGIH USA OSHA USA OSHA	OSHA PEL (TWA) (ppm) ers) (1330-20-7) ACGIH TWA (ppm) ACGIH STEL (ppm) OSHA PEL (TWA) (mg/m ³) OSHA PEL (TWA) (ppm)	500 ppm 100 ppm 150 ppm 435 mg/m ³	
USA OSHA Xylenes (o-, m-, p- is om USA ACGIH USA ACGIH USA OSHA USA OSHA Carbon dioxide (124-38-	OSHA PEL (TWA) (ppm) ers) (1330-20-7) ACGIH TWA (ppm) ACGIH STEL (ppm) OSHA PEL (TWA) (mg/m ³) OSHA PEL (TWA) (ppm) 9)	500 ppm 100 ppm 150 ppm 435 mg/m ³ 100 ppm	
USA OSHA Xylenes (o-, m-, p- isom USA ACGIH USA ACGIH USA OSHA USA OSHA USA OSHA USA ACGIH	OSHA PEL (TWA) (ppm) ers) (1330-20-7) ACGIH TWA (ppm) ACGIH STEL (ppm) OSHA PEL (TWA) (mg/m³) OSHA PEL (TWA) (ppm) 9) ACGIH TWA (ppm)	500 ppm 100 ppm 150 ppm 435 mg/m ³ 100 ppm 5000 ppm	
USA OSHA Xylenes (o-, m-, p- is om USA ACGIH USA ACGIH USA OSHA USA OSHA USA ACGIH USA ACGIH	OSHA PEL (TWA) (ppm) ers)(1330-20-7) ACGIH TWA (ppm) ACGIH STEL (ppm) OSHA PEL (TWA) (mg/m³) OSHA PEL (TWA) (ppm) 9) ACGIH TWA (ppm) ACGIH STEL (ppm)	500 ppm 100 ppm 150 ppm 435 mg/m ³ 100 ppm 5000 ppm 30000 ppm	
USA OSHA Xylenes (o-, m-, p- is om USA ACGIH USA ACGIH USA OSHA USA OSHA Carbon dioxide (124-38- USA ACGIH	OSHA PEL (TWA) (ppm) ers) (1330-20-7) ACGIH TWA (ppm) ACGIH STEL (ppm) OSHA PEL (TWA) (mg/m³) OSHA PEL (TWA) (ppm) 9) ACGIH TWA (ppm)	500 ppm 100 ppm 150 ppm 435 mg/m ³ 100 ppm 5000 ppm	



Safety Data Sheet

Skin and body protection

Respiratory protection

Other information

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Toluene (108-88-3)		
USA ACGIH	ACGIH TWA (ppm)	20 ppm
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm
USA OSHA	OSHA PEL (STEL) (ppm)	150 ppm
USA OSHA	OSHA PEL (Ceiling) (ppm)	300 ppm
Ethylbenzene (100-41-4	4)	
USA ACGIH	ACGIH TWA (ppm)	20 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	435 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	100 ppm
Benzene (71-43-2)		
USA ACGIH	ACGIH TWA (ppm)	0.5 ppm
USA ACGIH	ACGIH STEL (ppm)	2.5 ppm
USA OSHA	OSHA PEL (TWA) (ppm)	1 ppm
USA OSHA	OSHA PEL (STEL) (ppm)	5 ppm
USA OSHA	OSHA PEL (Ceiling) (ppm)	25 ppm
8.2. Exposure contr	rols	
Appropriate engineering co	ontrols : Use ventilation adequate recommended exposure	to keep exposures (airborne levels of dust, fume, vapor, etc.) below limits.
Personal protective equipment : Avoid all unnecessary exposure.		
Hand protection : Chemical-resistant gloves.		
Eye protection : Safety glasses or goggles are recommended when using product.		

: Wear suitable protective clothing.

- : A NOSH approved respirator is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirator selection must be based on know n or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Environmental exposure controls Maintain levels below Community environmental protection thresholds. :
 - Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully : before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties			
Physical state	: Gas/Pressurized Liquid.		
Appearance	: Clear.		
Colour	: Colourless.		
Odour	: Solvent.		
Odour threshold	: No data available.		
рН	: No data available.		
Relative evaporation rate (butylacetate=1)	: No data available.		
Melting point	: No data available.		
Freezing point	: No data available.		
Boiling point	: No data available.		
Flash point	: No data available.		
Self ignition temperature	: No data available.		
Decomposition temperature	: No data available.		
Flammability (solid, gas)	: Extremely flammable aerosol.		
Vapour pressure	: No data available.		
Relative vapour density at 20 °C	: No data available.		
Relative density	: No data available.		
Solubility	: No data available.		
Log Pow	: No data available.		
Log Kow	: No data available.		
Viscosity, kinematic	: No data available.		
Viscosity, dynamic	: No data available.		
Explosive properties	: No data available.		

EN (English)



Safety Data Sheet

according to the Hazard Communication Standard (CFR29	1910. 1200) Hazcom 2012.
51 1 1 1 1 1	: No data available.
Explosive limits	: No data available.
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No dangerous reaction know n under conditions of	normal use.
10.2. Chemical stability	
Stable under normal storage conditions. Extremely Do not burn.	/ flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture.
10.3. Possibility of hazardous reactions	
No dangerous reaction know n under conditions of	normal use.
10.4. Conditions to avoid	
Heat. Incompatible materials. Sources of ignition.	
10.5. Incompatible materials	
Strong oxidizing agents.	
10.6. Hazardous decomposition products	
May include, and are not limited to: oxides of carbo	
SECTION 11: Toxicological information	on and a second s
11.1. Information on toxicological effects	
Acute toxicity	: Based on available data, the classification criteria are not met.
4620	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5 mg/l/4h
Acetone (67-64-1)	
LD50 oral rat	5800 mg/kg
LC50 inhalation rat (mg/l)	50100 mg/m³/8h
n-Heptane (142-82-5)	
LD50 dermal rabbit	3000 mg/kg
LC50 inhalation rat (mg/l)	103 g/m³/4h
Xylenes (o-, m-, p- isomers) (1330-20-7)	
LD50 oral rat	4300 mg/kg
LD50 dermal rabbit	> 1700 mg/kg
ATE (dust,mist)	1.5 mg/l/4h
Toluene (108-88-3)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	12124 mg/kg
LD50 dermal rabbit	8390 mg/kg
LC50 inhalation rat (mg/l)	28.1 mg/l/4h
Ethylbenzene (100-41-4)	
LD50 oral rat	3500 mg/kg
LD50 dermal rabbit	15354 mg/kg
LC50 inhalation rat (mg/l)	17.2 mg/l/4h
Benzene (71-43-2)	
LD50 oral rat	930 mg/kg
LD50 dermal rabbit	> 9.4 mL/kg
LC50 inhalation rat (ppm)	13050 - 14380 ppm/4h
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.

EN (English)



Safety Data Sheet

14.3. Additional information

Special transport precautions

Other information

02/11/2014

ccording to the Hazard Communication Standard (CFR2)	9 1910.1200) HazCom 2012.
Xylenes (o-, m-, p- is omers) (1330-20-7)	
IARC group	3
Toluene (108-88-3)	
IARC group	3
Ethylbenzene (100-41-4)	
IARC group	28
National Toxicity Program (NTP) Status	1
Benzene (71-43-2)	·
IARC group	1
National Toxicity Program (NTP) Status	1, 2
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
Specific target organ toxicity (single exposure)	: May cause drow siness or dizziness.
Specific target organ toxicity (repeated exposure)	: May cause damage to organs through prolonged or repeated exposure
Aspiration hazard	: May be fatal if sw allowed and enters airways
Symptoms/injuries after inhalation	: Vapours may cause drow siness and dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking o the skin.
Symptoms/injuries after eye contact	: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/injuries after ingestion	: May be fatal if sw allowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: May cause long-term adverse effects in the aquatic environment.
12.2. Persistence and degradability	
4620	
Persistence and degradability	Not established.
12.3. Bioaccum ulative potential	
4620	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	S
13.1. Waste treatment methods	
Waste disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of w aste should be avoided or minimized w herever possible.
Additional information	: Flammable vapours may accumulate in the container. Do not incinerate closed containers.
SECTION 14: Transport information	
In accordance with DOT: 14.1. UN number	
UN-No.	UN1950
14.2. UN propershipping name	
Proper Shipping Name	: Aerosols, flammable, (each not exceeding 1 L capacity)
Hazard Classes	2.1
Hazard labels	· .



: Do not handle until all safety precautions have been read and understood.

: No supplementary information available.


Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 15: Regulatory information			
15.1. US Federal regulations			
Acetone (67-64-1)			
Listed on the United States TSCA (Toxic Substan	ces Control Act) inventory		
EPA TSCA Regulatory Flag T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.			
Heptane, branched, cyclic and linear (426260-	76-6)		
Listed on the United States TSCA (Toxic Substan	ces Control Act) inventory		
Xylenes (o-, m-, p- is omers) (1330-20-7)			
Listed on the United States TSCA (Toxic Substan Listed on SARA Section 313 (Specific toxic chem			
SARA Section 313 - Emission Reporting	1.0 %		
n-Heptane (142-82-5)			
Listed on the United States TSCA (Toxic Substan	ces Control Act) inventory		
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.		
Toluene (108-88-3)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 313 (Specific toxic chemical listings)			
SARA Section 313 - Emission Reporting	1.0 %		
Ethylbenzene (100-41-4)			
Listed on the United States TSCA (Toxic Substan Listed on SARA Section 313 (Specific toxic chem			
SARA Section 313 - Emission Reporting	0.1 %		
Benzene (71-43-2)			
Listed on the United States TSCA (Toxic Substan Listed on SARA Section 313 (Specific toxic chem	ices Control Act) inventory ical listings)		
SARA Section 313 - Emission Reporting	0.1 %		
Carbon dioxide (124-38-9)			
Listed on the United States TSCA (Toxic Substan	nces Control Act) inventory		
15.2. US State regulations			
4620()			
State or local regulations This product contains chemicals know n to the State of California to cause cancer, birth defects or other reproductive harm.			
SOURCE AGENCY CARCINOGEN CLASSIFICAT	FIONS:		

IARC (I)	International Agency for Research on Cancer.
	 Carcinogenic to humans; A - Probably carcinogenic to humans; B - Possibly carcinogenic to humans; A - Not classifiable; Probably not carcinogenic to humans.
NTP (N)	National Toxicology Program.
	 Evidence of Carcinogenicity; Know n Human Carcinogens; Reasonably anticipated to be Human Carcinogen; Substances delisted from report on Carcinogens; Tw elfth Report - Items under consideration.

SECTION 16: Other information

Indication of changes	:	None.
Other information	:	None.
NFPA health hazard	:	2
NFPA fire hazard	:	4
NFPA reactivity	:	0



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

