SAFETY DATA SHEET.

Issuing date 04-May-2015

Revision Date 12-Jun-2015

Version 1.01

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product name

64707797 BD1120 CHAIN & SPROCK

Recommended use of the chemical and restrictions on use

Product	code	

F01550

Product Type Synonyms Flammable aerosol None

Supplier's details

Recommended Use Uses advised against

Manufacturer American Jetway Corporation 34136 Myrtle Street Wayne, MI 48184-0126

Emergency telephone number Chemical Emergency Phone Number Company Emergency Phone Number CHAIN LUBRICANT. No information available

> Distributor Class C Solutions Group A business of MSC Industrial Supply Co. 75 Maxess Road Melville,NY 11747-3151 1-866-438-6767

Chemtrec 1-800-262-8200 ID 1195

734-721-5930

2. HAZARDS IDENTIFICATION

Classification

Aspiration toxicity	Category 1
Flammable aerosols	Category 2
Gases under pressure	Compressed Gas

GHS Label elements, including

precautionary statements

Emergency Overview

DANGER

Hazard Statements

May be fatal if swallowed and enters airways Flammable aerosol Contains gas under pressure; may explode if heated



Appearance Clear

Physical state Aerosol

Odor Solvent

Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 122°F (50°C)

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None

Other information

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %*
---------------	--------	-----------

PETROLEUM OIL	64742-62-7	80-90
PROPANE/ISOBUTANE/N-BUTANE	68476-86-8	10-20

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES			
First aid measures for different e	First aid measures for different exposure routes		
General advice	Avoid contact with eyes, skin, and clothing. Avoid breathing, vapors, mist, or gas.		
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Seek immediate medical attention/advice.		
Skin contact	Wash off immediately with soap and plenty of water. Remove and wash contaminated clothing before re-use. Get medical attention immediately if symptoms occur.		
Inhalation	Move to fresh air. If not breathing, give artificial respiration. If breathing has stopped, contact emergency medical services immediately.		
Ingestion	Do NOT induce vomiting. Call a physician immediately. Never give anything by mouth to an unconscious person. Risk of product entering the lungs on vomiting after ingestion.		
Most important symptoms/effect	s, acute and delayed		
Main Symptoms	ingestion causing lung damage.		
Indication of immediate medical attention and special treatment needed, if necessary			
Notes to physician	Treat symptomatically.		
5. FIRE-FIGHTING MEASURES			

Suitable Extinguishing Media

Water fog.Dry chemical. Carbon dioxide (CO2). Cool containers/tanks with water spray.

Unsuitable Extinguishing Media Keep away from sources of ignition - No smoking. Cool containers / tanks with water spray.

Specific hazards arising from the chemical

Extremely flammable. Keep product and empty container away from heat and sources of ignition. Risk of ignition. In the event of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with water spray.

Explosion Data Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with eyes, skin, and clothing. Avoid breathing vapors or mists. . Use with adequate ventilation. Keep container away from heat, flames, and all other sources of ignition.

Environmental precautions

Environmental precautions	Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate ir low areas. Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains.	
Methods and materials for containm	nent and cleaning up	
Methods for Containment	Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Pick up and transfer to properly labeled containers. Soak up with inert absorbent material. Clean contaminated surface thoroughly. After cleaning, flush away traces with water. Take precautionary measures against static discharges.	
7. HANDLING AND STORAGE		
Precautions for safe handling		
Advice on safe handling	Avoid contact with eyes. Avoid breathing vapors or mists. Contents under pressure. Do not puncture or incinerate cans. Do not stick pin or any other sharp object into opening on top of can.	
Conditions for safe storage, including	ng any incompatibilities	
Technical measures/Storage conditions	Keep container tightly closed in a dry and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep in properly labeled containers. Keep out	

of the reach of children. Store locked up.

Strong acids, alkalis, or oxidizing agents.

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies. **OSHA PEL Chemical Name** ACGIH TLV NIOSH IDLH PROPANE/ISOBUTANE/N-BUTANE 74-98-6: TWA: 1000 ppm 74-98-6:TWA: 1000 ppm 74-98-6:IDLH: 2100 ppm 68476-86-8 106-97-8: STEL: 1000 ppm TWA: 1800 mg/m³ TWA: 1000 ppm (vacated) TWA: 1000 ppm TWA: 1800 mg/m³ 75-28-5: STEL: 1000 ppm (vacated) TWA: 1800 mg/m³ 106-97-8:TWA: 800 ppm 106-97-8: (vacated) TWA: 800 TWA: 1900 mg/m³ ppm 75-28-5:TWA: 800 ppm (vacated) TWA: 1900 mg/m³ TWA: 1900 mg/m³

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ACGIH: (American Conference of Governmental Industrial Hygienists) OSHA: (Occupational Safety & Health Administration) Exposure controls

3

Engineering Measures

Incompatible products

Control parameters

Aerosol Level

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Safety glasses with side-shields.	
Skin and body protection	Chemical resistant apron. Protective gloves.	

Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. Handle in accordance with good industrial hygiene and safety practice.			
Hygiene measures				
	9. PHYSICAL AND CHEMIC	CAL PROPERTIES		
Physical and chemical propertie	<u>95</u>			
Physical state Appearance Color	Aerosol Clear amber	Odor Odor Threshold	Solvent No information available	
Property pH Melting/freezing point Boiling point/boiling range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air	Values No information available No information available No information available -97 °C / -142 °F No information available No information available	Remarks • Methods		
upper flammability limit lower flammability limit Vapor pressure Vapor density Specific Gravity Water solubility Partition coefficient: n-octanol/w Autoignition temperature Decomposition temperature Viscosity Explosive properties	9.5 % 1.8 % No information available No information available .852 Practically insoluble vaterNo information available No information available No information available No information available No information available	Not applicable		
Other information				
VOC Content(%)	17.79			

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

Strong acids, alkalis, or oxidizing agents.

Hazardous Decomposition Products

Carbon oxides. Fumes. Hydrocarbons.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Avoid breathing vapors or mists.
Eye contact	Avoid contact with eyes.
Skin contact	Avoid contact with skin.
Ingestion	May be harmful or fatal if swallowed. Aspiration into the lungs during swallowing may cause serious lung damage which may be fatal.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
PETROLEUM OIL	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2.18 mg/L (Rat)4 h
64742-62-7			

Information on toxicological effects

Symptoms

Harmful if swallowed. May be fatal if swallowed and enters airways.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	None known.
Germ Cell Mutagenicity	None known.
Carcinogenicity	There are no known carcinogenic chemicals in this product.
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards.
Specific target organ systemic	No known effects under normal use conditions.
toxicity (single exposure)	
Specific target organ systemic	None under normal use conditions.
toxicity (repeated exposure)	
Neurological effects	Intentional misuse by deliberately concentrating and inhaling contents may be harmful or
	fatal.
Aspiration hazard	May be fatal if swallowed and enters airways.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
PETROLEUM OIL 64742-62-7	-	5000 mg/L LC50 Oncorhynchus mykiss 96h	-	1000 mg/L EC50 Daphnia magna 48h
PROPANE/ISOBUTANE/N- BUTANE 68476-86-8	_	-	-	-

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	log Pow
PROPANE/ISOBUTANE/N-BUTANE	2.8
68476-86-8	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods	It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations.
Contaminated packaging	Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Ground CONSUMER COMMODITY ORM-D or LIMITED QUANTITY

ΙΑΤΑ	UN1950, AEROSOLS, FLAMMABLE, 2.1, LTD. QTY.
IMDG	UN1950, AEROSOLS, 2.1, LTD. QTY.

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
PETROLEUM OIL	Х	X	Х	Not listed	Х	Х	Х	Х
PROPANE/ISOBUTA NE/N-BUTANE	Х	Х	Х	Not listed	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

CHINA - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA	<u>311/:</u>	312	Hazarc	I Categ	ories

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	Yes
Sudden Release of Pressure Hazard	Yes
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any known Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any chemicals subject to state reporting regulations that are not already listed elsewhere in this document.

EPA Pesticide Registration Number Not applicable

<u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION						
NFPA_	Health Hazard 0	Flammability 4	Instability 0	Physical and chemical hazards		
HMIS	Health Hazard 1	Flammability 4	Physical Hazard 1	Personal protection B		
Prepared By	American Jetway 34136 Myrtle Street Wayne, MI 48184 Tel.734-721-5930					
Issuing date	04-May-2015					
Revision Date	12-Jun-2015					
Revision Note No information available						
<u>Disclaimer</u>						
			owledge, information and afe handling, use, process			

transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet