

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Date of issue: 06/25/2014 Revision date: 06/25/2014

Version: 1.0

SECT	ION 1: Identification of	the substance/mixture and of the company/undertaking	
1.1.	Product identifier		
Produc	t name	: PENRAY CHAIN LUBE	
Produc	t code	: 7006	
1.2.	Relevant identified uses o	f the substance or mixture and uses advised against	
Use of	the substance/mixture	: Chain lube.	
1.3.	.3. Details of the supplier of the safety data sheet		
440 De Wheeli T (800)	nray Companies, Inc. nniston Ct. ng, IL 60090 373-6729 <u>penray.com</u>		
1.4.	Emergency telephone num	nber	
Emerge	ency number	: (800) 373-6729 CHEMTREC (800) 424-9300 CHEMTREC International +1 (703) 527-3887 24 hr	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Flammable Aerosol 1 Gases Under Pressure - Liquefied gas Skin irritation 2 Eye irritation 2A Reproductive toxicity 2 (developmental) Specific target organ toxicity - Single exposure 3 Specific target organ toxicity - Repeated exposure 2 Aspiration hazard 1

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)

Signal word (GHS-US) Hazard statements (GHS-US)

Precautionary statements (GHS-US)



: Danger

- : Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. Causes serious eye irritation. Suspected of damaging the unborn child. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways.
- : Keep away from heat/sparks/open flames/hot surfaces. -No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash hands thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Do not breathe gas/mist/vapors/spray. If exposed or concerned: Get medical advice/attention. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place. Store locked up. Dispose of contents and container in accordance with all local, regional, national and international regulations.



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

42 percent of the mixture consists of ingredient(s) of unknown acute toxicity.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Heptane, branched, cyclic and linear	(CAS No) 426260-76-6	40 - 70	Flam. Liq. 2 Skin Irrit. 2 STOT SE 3 Asp. Tox. 1
n-Heptane	(CAS No) 142-82-5	15 - 40	Flam. Liq. 2 Skin Irrit. 2 STOT SE 3
Propane	(CAS No) 74-98-6	10 - 30	Flam. Gas 1 Liquefied gas
Butane	(CAS No) 106-97-8	7 - 13	Flam. Gas 1 Liquefied gas
Toluene	(CAS No) 108-88-3	0.5 - 3	Flam. Liq. 2 Acute Tox. 4 (Oral) Skin Irrit. 2 Repr. 2 STOT SE 3 STOT RE 2 Asp. Tox. 1
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	(CAS No) 68649-42-3	0.5 - 1.5	Skin Irrit. 2, H315 Eye Dam. 1, H318
Ethylbenzene	(CAS No) 100-41-4	< 0.1	Flam. Liq. 2 Acute Tox. 4 (Inhalation) Skin Irrit. 2 Carc. 2 Asp. Tox. 1
Benzene	(CAS No) 71-43-2	< 0.1	Flam. Liq. 2 Acute Tox. 4 (Oral) Skin Irrit. 2 Eye Irrit. 2A Muta. 1B Carc. 1A STOT RE 1 Asp. Tox. 1

* The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
First-aid measures after eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention.
First-aid measures after ingestion	: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries after inhalation	: May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. Intentional misuse of product by inhalation can result in asphyxiation or death.
Symptoms/injuries after skin contact	: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.
00/05/0011	



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Firefighting	measures			
5.1. Extinguishing media	l i i i i i i i i i i i i i i i i i i i			
Suitable extinguishing media	: Powder, water spray	, foam, carbon dioxide.		
Unsuitable extinguishing media	: Do not use a heavy	vater stream.		
5.2. Special hazards aris	ing from the substance or mixture			
Fire hazard	: Extremely flammable of carbon.	e aerosol. Products of combustion may include, and are not limited to: oxides		
Explosion hazard	: Heat may build press and injuries.	sure, rupturing closed containers, spreading fire and increasing risk of burns		
5.3. Advice for firefighter	rs			
Protection during firefighting	protection (SCBA). V	Wear full fire fighting turn-out gear (full Bunker gear) and respiratory apors may be heavier than air and may travel along the ground to a distant ash back. Use water spray to keep fire-exposed containers cool.		
SECTION 6: Accidental	release measures			
6.1. Personal precaution	s, protective equipment and emergend	y procedures		
General measures		ion recommended in Section 8. Isolate the hazard area and deny entry to protected personnel. Eliminate sources of ignition.		
6.2. Methods and materia	al for containment and cleaning up			
For containment		b spill with inert material (e.g. sand, vermiculite), then place in a suitable to sewer or allow to enter waterways. Use appropriate Personal t (PPE).		
Methods for cleaning up	Methods for cleaning up : Scoop up material and place in a disposal container. Provide ventilation.			
6.3. Reference to other s	ections			
See section 8 for further information	ation on protective clothing and equipmen	t and section 13 for advice on waste disposal.		
SECTION 7: Handling a	nd storage			
7.1. Precautions for safe				
Precautions for safe handling	: Keep away from sou ignition source. Pres skin and eyes. Do no	Keep away from sources of ignition No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid contact with skin and eyes. Do not swallow. Do not breathe gas/mist/vapors/spray. When using do not eat, drink or smoke. Use only outdoors or in a well-ventilated area.		
Hygiene measures	: Launder contaminate	Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.		
7.2. Conditions for safe s	storage, including any incompatibilities	3		
Storage conditions		out of reach of children. Do not expose ot temperatures exceeding 50°C/ om direct sunlight or other heat sources. Store in a well-ventilated place.		
7.3.Specific end use(s)Not available.				
SECTION 8: Exposure c	ontrols/personal protection			
8.1. Control parameters				
Heptane, branched, cyclic a	nd linear (426260-76-6)			
USA ACGIH	ACGIH TWA	Not applicable.		
USA OSHA	OSHA PEL (TWA)	Not applicable.		
n-Heptane (142-82-5)				
USA ACGIH	ACGIH TWA (ppm)	400 ppm		
USA ACGIH	ACGIH STEL (ppm)	500 ppm		
USA OSHA	OSHA PEL (TWA) (mg/m³)	2000 mg/m ³		
USA OSHA	OSHA PEL (TWA) (ppm)	500 ppm		
L	1			



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Propane (74-98-6)		
USA ACGIH	ACGIH TWA (ppm)	1000 ppm
	,	
USA OSHA	OSHA PEL (TWA) (mg/m³)	1800 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
Butane (106-97-8)		
USA ACGIH	ACGIH STEL (ppm)	1000 ppm
Toluene (108-88-3)		
USA ACGIH	ACGIH TWA (ppm)	20 ppm
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm
USA OSHA	OSHA PEL (Ceiling) (ppm)	300 ppm
Phosphorodithioic acid	d, O,O-di-C1-14-alkyl esters, zinc salts (68649-4	2-3)
USA ACGIH	ACGIH TWA	Not applicable.
USA OSHA	OSHA PEL (TWA)	Not applicable.
Ethylbenzene (100-41-4	0	
USA ACGIH	ACGIH TWA (ppm)	20 ppm
USA OSHA	OSHA PEL (TWA) (mg/m ³)	435 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	100 ppm
Benzene (71-43-2)		
USA ACGIH	ACGIH TWA (ppm)	0.5 ppm
USA ACGIH	ACGIH STEL (ppm)	2.5 ppm
USA OSHA	OSHA PEL (TWA) (ppm)	1 ppm
USA OSHA		
USA OSHA	OSHA PEL (STEL) (ppm)	5 ppm
	OSHA PEL (Ceiling) (ppm)	25 ppm
Exposure contraction		te to keep exposures (airborne levels of dust, fume, vapor, etc.) below
Appropriate engineering of	recommended exposure	
Personal protective equipr	ment : Avoid all unnecessary e	exposure.
land protection	: Wear chemically resista	ant protective gloves.
ye protection	: Safety glasses or goggl	les are recommended when using product.
kin and body protection	: Wear suitable protective	e clothing.
Respiratory protection	exposure limits may be	pirator is recommended in poorly ventilated areas or when permissible exceeded. Respirator selection must be based on known or anticipated zards of the product and the safe working limits of the selected respirato
nvironmental exposure c	ontrols : Maintain levels below C	Community environmental protection thresholds.
Other information	,	ink where material is handled, processed or stored. Wash hands carefully g. Handle according to established industrial hygiene and safety practices.
	Ç .	
	al and chemical properties basic physical and chemical properties	
hysical state	: Gas/Pressurized Liquid	
ppearance	: No data available.	•
Colour	: Black.	
)dour	: Solvent.	
dour threshold	: No data available.	

- Odour threshold pН : No data available. Relative evaporation rate (butylacetate=1) : No data available.
- Melting point : No data available.
- : No data available. Freezing point 06/25/2014

EN (English)



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

	· · · · · · · · · · · · · · · · · · ·
Boiling point	: No data available.
Flash point	: No data available.
Self ignition temperature	: No data available.
Decomposition temperature	: No data available.
Flammability (solid, gas)	: Flammable.
Vapour pressure	: No data available.
Relative vapour density at 20 °C	: No data available.
Relative density	: 0.721 - 0.73
Solubility	: No data available.
Log Pow	: No data available.
Log Kow	: No data available.
Viscosity, kinematic	: No data available.
Viscosity, dynamic	: No data available.
Explosive properties	: No data available.
Oxidising properties	: No data available.
Explosive limits	: No data available.

Other information 9.2.

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. **Chemical stability**

Stable under normal storage conditions. Extremely flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn.

Possibility of hazardous reactions 10.3.

No dangerous reaction known under conditions of normal use.

Conditions to avoid 10.4.

Heat. Incompatible materials. Sources of ignition.

10.5. **Incompatible materials**

Strong oxidizing agents. Strong reducing agents.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects		
Acute toxicity	Not classified	
7006		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat (mg/l)	> 5 mg/l/4h	
n-Heptane (142-82-5)		
LD50 dermal rabbit	3000 mg/kg	
LC50 inhalation rat (mg/l)	103 g/m³/4h	
Propane (74-98-6)		
LC50 inhalation rat (mg/l)	658 mg/l/4h	
Butane (106-97-8)		
LC50 inhalation rat (mg/l)	658 mg/l/4h	
Toluene (108-88-3)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rat	12124 mg/kg	
LD50 dermal rabbit	8390 mg/kg	
LC50 inhalation rat (mg/l)	28.1 mg/l/4h	
06/25/2014	EN (English) 5/8	



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Ethylbenzene (100-41-4)	
LD50 oral rat	3500 mg/kg
LD50 dermal rabbit	15354 mg/kg
LC50 inhalation rat (mg/l)	17.2 mg/l/4h
Benzene (71-43-2)	
LD50 oral rat	930 mg/kg
LD50 dermal rabbit	> 9.4 mL/kg
LC50 inhalation rat (ppm)	13050 - 14380 ppm/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toluene (108-88-3)	
IARC group	3 - Not classifiable
Ethylbenzene (100-41-4)	
IARC group	2B - Possibly carcinogenic to humans
National Toxicity Program (NTP) Status	1 - Evidence of Carcinogenicity
Benzene (71-43-2)	
IARC group	1 - Carcinogenic to humans
National Toxicity Program (NTP) Status	1 - Evidence of Carcinogenicity, 2 - Known Human Carcinogens
	In OSHA Specifically Regulated Carcinogen list
Reproductive toxicity	: Suspected of damaging the unborn child.
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure)	: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: May be fatal if swallowed and enters airways.
Symptoms/injuries after inhalation	: May cause drowsiness, dizziness and central nervous system depression. May cause respirator tract irritation. Intentional misuse of product by inhalation can result in asphyxiation or death.
Symptoms/injuries after skin contact	: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

SECTI	ON 12: Ecological information	
12.1.	Toxicity	
Ecology	- general	: May cause long-term adverse effects in the aquatic environment.
12.2.	Persistence and degradability	
7006		
Persist	ence and degradability	Not established.
12.3.	Bioaccumulative potential	
7006		
Bioacci	umulative potential	Not established.
12.4.	Mobility in soil	
No additi	onal information available	
12.5.	Other adverse effects	
Effect on	ozone layer	: No additional information available
Effect on	the global warming	: No known ecological damage caused by this product.

EN (English)



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

coording to the Hazard Communication Standard	
SECTION 13: Disposal consideration	ations
13.1. Waste treatment methods	
Waste disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.
Additional information	: Flammable vapours may accumulate in the container. Do not incinerate closed containers.
SECTION 14: Transport informat	ion
In accordance with DOT:	
14.1. UN number	
UN-No.	UN1950
14.2. UN proper shipping name	
Proper Shipping Name	: Aerosols, flammable
Hazard Classes	2.1
Hazard labels	
14.3. Additional information	
Other information	: No supplementary information available.
Special transport precautions	: Do not handle until all safety precautions have been read and understood.
SECTION 15: Regulatory information	ation
15.1. US Federal regulations	
All components of this product are listed, Substances Control Act (TSCA) inventory	or excluded from listing, on the United States Environmental Protection Agency Toxic
n-Heptane (142-82-5)	
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.

EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.	
Toluene (108-88-3)		
Listed on SARA Section 313 (Specific toxic che	emical listings)	
SARA Section 313 - Emission Reporting	1.0 %	
Ethylbenzene (100-41-4)		
Listed on SARA Section 313 (Specific toxic chemical listings)		
SARA Section 313 - Emission Reporting	0.1 %	
Benzene (71-43-2)		
Listed on SARA Section 313 (Specific toxic chemical listings)		
SARA Section 313 - Emission Reporting	0.1 %	
5.2. US State regulations		

ate regula

7006	
State or local regulations	This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

SECTION 16: Other information			
Indication of changes	: None.		
Date of issue	: 06/25/2014		
Other information	: None.		



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

NFPA health hazard		2
NFPA fire hazard		4
NFPA reactivity		0



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

